


LEESE & CO., INC




Leese & Co., Inc.

THERMAL
MANAGEMENT
DEVICES

STOCK PROFILE
LISTING


0018-07



SPECIAL ORDER ONLY

HEATSINK # 0018-07 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	1.841
PE RIMETER	S	Q IN/IN	31.67
R ϕ SA °C	ϕ /WATT/3 IN LG		2.3


0225-07



SPECIAL ORDER ONLY

HEATSINK # 0225-07 DATA TABLE			
ESTIMATED WEIGHT	L	BS/FT	2.247
PERIMETER	S	Q IN/IN	48.10
R ϕ SA °C	ϕ /WATT/3 IN LG		1.5


0362-10



SPECIAL ORDER ONLY

HEATSINK # 0362-10 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	3.871
PE RIMETER	S	Q IN/IN	64.00
R ϕ SA °C	ϕ /WATT/3 IN LG		1.1


0454-08



SPECIAL ORDER ONLY

HEATSINK # 0454-08 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	4.332
PE RIMETER	S	Q IN/IN	71.20
R ϕ SA °C	ϕ /WATT/3 IN LG		.9


0775-10



SPECIAL ORDER ONLY


HEATSINK # 0775-10 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	7.574
PE RIMETER	S	Q IN/IN	105.70
R ϕ SA °C	ϕ /WATT/3 IN LG		.7

1061-10




HEATSINK # 1061-10 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	10.801
PE RIMETER	S	Q IN/IN	108.00
R ϕ SA °C	ϕ /WATT/3 IN LG		.7

1104-12



HEATSINK # 1104-12 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	11.102
PE RIMETER	S	Q IN/IN	91.20
R ϕ SA °C	ϕ /WATT/3 IN LG		.8


1115-12



SPECIAL ORDER ONLY


HEATSINK # 1115-12 DATA TABLE			
ESTIMATED WEIGHT	L	BS/FT	11.825
PERIMETER	S	Q IN/IN	91.20
R _θ SA °C	φ/WATT/3 IN LG		.8

125-10



HEATSINK # 125-10 DATA TABLE		
ESTIMATED WEIGHT	LBS/FT	11.825
PERIMETER	SQ IN/IN	77.21
R _φ SA °C	φ/WATT/3 IN LG	.87


1280-12



HEATSINK # 1280-12 DATA TABLE

ESTIMATED WEIGHT	L	BS/FT	12.401
PERIMETER	S	Q IN/IN	105.00
$R_{\phi SA} \text{ } ^\circ\text{C}$	$\phi/\text{WATT}/3 \text{ IN LG}$		.71


1485-12



SPECIAL ORDER ONLY


HEATSINK # 1485-12 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	14.777
PE RIMETER	S	Q IN/IN	159.19
R ϕ SA °C	ϕ /WATT/3 IN LG		.55

2044-12




HEATSINK # 2044-12 DATA TABLE		
ES TIMATED WEIGHT	L BS/FT	20.443
PE RIMETER	S Q IN/IN	156.50
R ϕ SA °C	ϕ /WATT/3 IN LG	.65

2904-17




HEATSINK # 2904-17 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	2.904
PE RIMETER	S	Q IN/IN	40.00
R ϕ SA °C	ϕ /WATT/3 IN LG		1.7

3176-08



HEATSINK # 3176-08 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	2.57
PE RIMETER	S	Q IN/IN	33.80
R ϕ SA °C	ϕ /WATT/3 IN LG		2.3


3176-09



SPECIAL ORDER ONLY


HEATSINK # 3176-09 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	3.028
PE RIMETER	S	Q IN/IN	31.91
R _φ SA °C	φ/WATT/3 IN LG		2.2

3988-07




HEATSINK # 3988-07 DATA TABLE			
ESTIMATED WEIGHT	L	BS/FT	4.024
PERIMETER	S	Q IN/IN	53.10
$R_{\phi SA}$ °C	ϕ /WATT/3 IN LG		1.16

4001-08




HEATSINK # 4001-08 DATA TABLE			
ESTIMATED WEIGHT	L	BS/FT	3.24
PERIMETER	S	Q IN/IN	46.44
R _φ SA °C	φ/WATT/3 IN LG		1.1

4114-07




HEATSINK # 4114-07 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	3.692
PE RIMETER	S	Q IN/IN	53.00
R ϕ SA °C	ϕ /WATT/3 IN LG		1.1

4336-07



HEATSINK # 4336-07 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	4.366
PE RIMETER	S	Q IN/IN	53.00
R ϕ SA °C	ϕ /WATT/3 IN LG		1.1


4601-08



SPECIAL ORDER ONLY

HEATSINK # 4601-08 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	4.528
PE RIMETER	S	Q IN/IN	55.90
R ϕ SA °C	ϕ /WATT/3 IN LG		1.1


5056-03



SPECIAL ORDER ONLY

HEATSINK # 5056-03 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	5.949
PE RIMETER	S	Q IN/IN	77.86
R ϕ SA °C	ϕ /WATT/3 IN LG		.91


5136-08



SPECIAL ORDER ONLY


HEATSINK # 5136-08 DATA TABLE			
ESTIMATED WEIGHT	L	BS/FT	5.202
PERIMETER	S	Q IN/IN	63.39
R _φ SA °C	φ/WATT/3 IN LG		1.1

5993-08




HEATSINK # 5993-08 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	5.993
PE RIMETER	S	Q IN/IN	53.00
R ϕ SA °C	ϕ /WATT/3 IN LG		1.1

6707-07




HEATSINK # 6707-07 DATA TABLE			
ES TIMATED WE IGH T	L	BS/FT	6.707
PE RIMETER	S	Q IN/IN	51.70
R ϕ SA °C	ϕ /WATT/3 IN LG		1.35

7535-10




HEATSINK # 7535-10 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	7.726
PE RIMETER	S	Q IN/IN	87.50
R ϕ SA °C	ϕ /WATT/3 IN LG		.85

8390-08



HEATSINK # 8390-08 DATA TABLE			
ES TIMATED WEIGHT	L	BS/FT	8.148
PE RIMETER	S	Q IN/IN	88.08
R ϕ SA °C	ϕ /WATT/3 IN LG		.88

8416-12



HEATSINK # 8416-12 DATA TABLE			
ESTIMATED WEIGHT	L	BS/FT	8.786
PERIMETER	S	Q IN/IN	117.00
R _φ SA °C	φ/WATT/3 IN LG		.6